

Michelin

Pilot Sport 4 S

Genuine passion. Exceptional drives. Derived from the legendary Pilot Super Sport tire, there is a new #1 in max performance summer tires.



SUMMER



The maximum combined performance. First in dry lap time.¹ First in dry-braking.² First in wet lap time.³ First in wet-braking.⁴

Fall in love with your car's untapped potential with the best max performance tire. Our Dynamic Response Technology continuously adapts to the road for ultra-precise steering, outstanding cornering power and remarkably good tread-life for a summer tire. And our revolutionary Multi-Compound Construction delivers unmatched levels of dry and wet grip exactly where you need it.

Experience added miles of exhilarating drives with 9% better tread-life than the Pilot Super Sport tire.⁵


Michelin Total Performance overcomes the usual trade-off of wear for grip to deliver both incredible traction and improved tread-life.

Premium design and rim protector.

Our Premium Touch finish provides a dark velvet effect on the external sidewall, while a deep rim protector guards against light wheel damage.

Acclaimed by premium car manufacturers.

Homologated by Mercedes-Benz AMG and Ferrari.



¹Based on internal dry circuit lap time tests comparing the Pilot Sport 4 S tire (39.25 sec. avg. lap time) versus the Bridgestone Potenza S-04 Pole Position (40.70 sec. avg. lap time), Continental ExtremeContact Sport (40.03 sec. avg. lap time), Pirelli P ZERO P24 (40.24 sec. avg. lap time) and Goodyear Eagle F1 Asymmetric 3 (40.44 sec. avg. lap time) tires in size 235/35ZR19 91Y using a 2015 BMW 328i. Actual on-road results may vary.

²Based on internal dry-braking tests from 60 MPH to 0 MPH comparing the Pilot Sport 4 S tire (106.0 ft. avg. stopping distance) versus the Bridgestone Potenza S-04 Pole Position (119.4 ft. avg. stopping distance), Continental ExtremeContact Sport (115.9 ft. avg. stopping distance), Pirelli P ZERO P24 (118.3 ft. avg. stopping distance) and Goodyear Eagle F1 Asymmetric 3 (115.2 ft. avg. stopping distance) tires in size 235/35ZR19 91Y using a 2015 BMW 328i. Actual on-road results may vary.

³Based on internal wet circuit lap time tests comparing the Pilot Sport 4 S tire (37.23 sec. avg. lap time) versus the Bridgestone Potenza S-04 Pole Position (38.65 sec. avg. lap time), Continental ExtremeContact Sport (38.87 sec. avg. lap time), Pirelli P ZERO P24 (39.42 sec. avg. lap time) and Goodyear Eagle F1 Asymmetric 3 (38.52 sec. avg. lap time) tires in size 235/35ZR19 91Y using a 2015 BMW 328i. Actual on-road results may vary.

⁴Based on internal wet-braking tests from 50 MPH to 0 MPH comparing the Pilot Sport 4 S tire (97.0 ft. avg. stopping distance) versus the Bridgestone Potenza S-04 Pole Position (112.6 ft. avg. stopping distance), Continental ExtremeContact Sport (108.5 ft. avg. stopping distance), Pirelli P ZERO P24 (112.9 ft. avg. stopping distance) and Goodyear Eagle F1 Asymmetric 3 (108.4 ft. avg. stopping distance) tires in size 235/35ZR19 91Y using a 2015 BMW 328i. Actual on-road results may vary.

⁵Based on commissioned third-party testing conducted by DEKRA at the DEKRA Test Center in Narbonne, France, versus the Pilot Super Sport tire in size 255/35ZR19 using a 2015 Audi A4 2.0 TDI, FWD. Actual on-road results may vary.



Michelin **Pilot Sport 4 S**

Tire Size	Service Description	Technology	Other	Limited Warranty	Side-wall	MSPN	Rim Width Range (inches)	Section Width on Measuring Rim Width (inches)	Overall Diameter (inches)	Tread Depth (in/32nds)	Rev/ Mile @45 mph	Max Load Single (lbs@psi)	UTQG	O.E. Fitments
225/45ZR17/XL	(94Y)			30K	BSW	68968	7 - 8.5	8.9 on 7.5	25	9.5	833	1477@50	300/AA/A	
235/45ZR17/XL	(97Y)			30K	BSW	30110	7.5 - 9	9.3 on 8	25.4	9.5	821	1609@50	300/AA/A	
245/40ZR17/XL	(95Y)			30K	BSW	63006	8 - 9.5	9.8 on 8.5	24.7	9.5	841	1521@50	300/AA/A	
245/45ZR17/XL	(99Y)			30K	BSW	8090	7.5 - 9	9.6 on 8	25.7	9.5	810	1709@50	300/AA/A	
265/40ZR17/XL	(100Y)			30K	BSW	68363	9 - 10.5	10.7 on 9.5	25.4	9.5	821	1764@50	300/AA/A	
205/40ZR18/XL	(86Y)			30K	BSW	18916	45511	8.3 on 7.5	24.5	9.5	851	1168@50	300/AA/A	
215/35ZR18/XL	(84Y)			30K	BSW	32617	7 - 8.5	8.6 on 7.5	23.9	9.5	870	1102@50	300/AA/A	
215/40ZR18/XL	(89Y)			30K	BSW	95042	7 - 8.5	8.9 on 7.5	24.8	9.5	840	1279@50	300/AA/A	
225/40ZR18/XL	(92Y)			30K	BSW	2717	7.5 - 9	9.1 on 8	25.1	9.5	829	1389@50	300/AA/A	
225/40ZR18/XL	(92Y)			30K	BSW	93158	7.5 - 9	9.1 on 8	25.1	9.5	829	1389@50	300/AA/A	TOY
225/45ZR18/XL	(95Y)			30K	BSW	31753	7 - 8.5	8.9 on 7.5	25.9	9.5	802	1521@50	300/AA/A	
225/50ZR18/XL	(99Y)			30K	BSW	73606	45510	9.2 on 7	26.9	9.5	774	1709@50	300/AA/A	
235/40ZR18/XL	(95Y)			30K	BSW	38754	8 - 9.5	9.5 on 8.5	25.4	9	819	1521@50	300/AA/A	FOR
235/40ZR18/XL	(95Y)			30K	BSW	43847	8 - 9.5	9.5 on 8.5	25.4	9.5	819	1521@50	300/AA/A	
235/45ZR18/XL	(98Y)			30K	BSW	31139	7.5 - 9	9.3 on 8	26.3	9.5	790	1653@50	300/AA/A	
235/50ZR18/XL	(101Y)			30K	BSW	39562	6.5 - 8.5	9.7 on 7.5	27.3	9.5	762	1819@50	300/AA/A	
245/35ZR18/XL	(92Y)			30K	BSW	76950	8 - 9.5	9.8 on 8.5	24.8	9.5	840	1389@50	300/AA/A	
245/40ZR18/XL	(97Y)			30K	BSW	37666	8 - 9.5	9.8 on 8.5	25.7	9.5	809	1609@50	300/AA/A	
245/45ZR18/XL	(100Y)			30K	BSW	3481	7.5 - 9	9.6 on 8	26.7	9.5	780	1764@50	300/AA/A	
255/35ZR18/XL	(94Y) TPC			30K	BSW	80270	8.5 - 10	10.2 on 9	25	8.5	832	1477@50	300/AA/A	CAD
255/35ZR18/XL	(94Y)			30K	BSW	27579	8.5 - 10	10.2 on 9	25	9.5	832	1477@50	300/AA/A	
255/40ZR18/XL	(99Y)			30K	BSW	98512	8.5 - 10	10.2 on 9	26	9.5	799	1709@50	300/AA/A	
255/45ZR18/XL	(103Y)			30K	BSW	65974	8 - 9.5	10 on 8.5	27.1	9.5	769	1929@50	300/AA/A	
265/35ZR18/XL	(97Y)			30K	BSW	53791	9 - 10.5	10.7 on 9.5	25.3	9.5	822	1609@50	300/AA/A	
265/40ZR18/XL	(101Y)			30K	BSW	85587	9 - 10.5	10.7 on 9.5	26.3	9.5	790	1819@50	300/AA/A	
275/35ZR18/XL	(99Y) TPC			30K	BSW	25603	45605	10.9 on 9.5	25.6	9	814	1709@50	300/AA/A	CAD
275/35ZR18/XL	(99Y)			30K	BSW	795	45605	10.9 on 9.5	25.6	9.5	814	1709@50	300/AA/A	
285/30ZR18/XL	(97Y)			30K	BSW	11020	9.5 - 10.5	11.4 on 10	24.8	9.5	840	1609@50	300/AA/A	
285/35ZR18/XL	(101Y)			30K	BSW	12182	9.5 - 11	11.4 on 10	25.9	9.5	804	1819@50	300/AA/A	
285/40ZR18/XL	(105Y)			30K	BSW	79631	9.5 - 11	11.4 on 10	27	9.5	771	2039@50	300/AA/A	
295/30ZR18/XL	(98Y)			30K	BSW	74446	45606	11.8 on 10.5	25	9.5	832	1653@50	300/AA/A	
295/45ZR18/XL	(112Y)			30K	BSW	29538	9.5 - 11	11.6 on 10	28.5	9.5	731	2469@50	300/AA/A	
225/35ZR19/XL	(88Y)			30K	BSW	12877	7.5 - 9	9.1 on 8	25.2	9.5	824	1235@50	300/AA/A	

Ultra-High
Performance Sport

Continued ►

Refer to the Important Product Information section at the back of the book.

Michelin **Pilot Sport 4 S**

Tire Size	Service Description	Technology	Other	Limited Warranty	Side-wall	MSPN	Rim Width Range (inches)	Section Width on Measuring Rim Width (inches)	Overall Diameter (inches)	Tread Depth (in/32nds)	Rev/ Mile @45 mph	Max Load Single (lbs@psi)	UTQG	O.E. Fit-ments
225/35ZR19/XL	88Y	ZP		30K	BSW	41359	7.5 - 9	9.1 on 8	25.2	9.5	824	1235@50	300/AA/A	
225/40ZR19/XL	(93Y)			30K	BSW	91762	7.5 - 9	9.1 on 8	26.1	9.5	797	1433@50	300/AA/A	
225/40R19/XL	93Y *			30K	BSW	96232	7.5 - 9	9.1 on 8	26.1	9.5	797	1433@50	300/AA/A	BMW
225/45ZR19/XL	(96Y)			30K	BSW	1983	7 - 8.5	8.9 on 7.5	27	9.5	771	1565@50	300/AA/A	
235/35ZR19/XL	(91Y)			30K	BSW	23042	8 - 9.5	9.5 on 8.5	25.5	9.5	817	1356@50	300/AA/A	FOR
235/35ZR19/XL	(91Y) MO1			30K	BSW	85776	8 - 9.5	9.5 on 8.5	25.5	9.5	817	1356@50	300/AA/A	MB
235/35ZR19/XL	(91Y)			30K	BSW	10221	8 - 9.5	9.5 on 8.5	25.5	9.5	817	1356@50	300/AA/A	
235/35R19/XL	91Y *	Selfseal		30K	BSW	71244	8 - 9.5	9.5 on 8.5	25.5	9	817	1356@50	300/AA/A	BMW
235/40ZR19/XL	(96Y) NA0			30K	BSW	37675	8 - 9.5	9.5 on 8.5	26.4	9	787	1565@50	300/AA/A	POR
235/40ZR19/XL	(96Y)			30K	BSW	5800	8 - 9.5	9.5 on 8.5	26.4	9.5	787	1565@50	300/AA/A	
245/30ZR19/XL	(89Y)			30K	BSW	29621	45543	9.8 on 8.5	24.8	9.5	837	1279@50	300/AA/A	
245/35ZR19	(89Y) TPC	ZP		30K	BSW	27439	8 - 9.5	9.9 on 8.5	26	8.5	807	1279@51	300/AA/A	GM
245/35ZR19/XL	(93Y) HN			30K	BSW	35860	8 - 9.5	9.8 on 8.5	25.8	9	807	1433@50	300/AA/A	HYN
245/35ZR19/XL	(93Y) *			30K	BSW	83033	8 - 9.5	9.8 on 8.5	25.8	9	807	1433@50	300/AA/A	BMW
245/35ZR19/XL	(93Y)			30K	BSW	3744	8 - 9.5	9.8 on 8.5	25.8	9.5	807	1433@50	300/AA/A	
245/35ZR19/XL	(93Y) MO1			30K	BSW	33589	8 - 9.5	9.8 on 8.5	25.8	9.5	807	1433@50	300/AA/A	MB
245/40ZR19	94Y TPC	ZP		30K	BSW	80837	8 - 9.5	9.8 on 8.5	26.7	9	778	1477@51	300/AA/A	CAD
245/40ZR19/XL	(98Y) MO1			30K	BSW	1706	8 - 9.5	9.8 on 8.5	26.7	9	778	1653@51	300/AA/A	MB
245/40ZR19/XL	(98Y)			30K	BSW	25373	8 - 9.5	9.8 on 8.5	26.7	9.5	778	1653@50	300/AA/A	
245/45R19/XL	102Y *			30K	BSW	79863	7.5 - 9	9.6 on 8	27.7	9	751	1874@50	300/A/A	BMW
255/30ZR19/XL	(91Y)			30K	BSW	10080	8.5 - 9.5	10.2 on 9	25.1	9.5	829	1356@50	300/AA/A	
255/30ZR19/XL	91Y	ZP		30K	BSW	38029	8.5 - 9.5	10.2 on 9	25.1	9.5	829	1356@50	300/AA/A	
255/35ZR19	(92Y)			30K	BSW	9133	8.5 - 10	10.2 on 9	26	9.5	799	1389@51	300/AA/A	LEX
255/35ZR19/XL	(96Y) *			30K	BSW	97665	8.5 - 10	10.2 on 9	26	9	799	1565@50	300/AA/A	BMW
255/35ZR19/XL	(96Y) MO1			30K	BSW	16689	8.5 - 10	10.2 on 9	26	9.5	799	1565@50	300/AA/A	MB
255/35ZR19/XL	(96Y)			30K	BSW	66901	8.5 - 10	10.2 on 9	26	9.5	799	1565@50	300/AA/A	
255/35R19/XL	96Y *			30K	BSW	94916	8.5 - 10	10.2 on 9	26	9.5	799	1565@50	300/AA/A	BMW
255/40ZR19/XL	(100Y)			30K	BSW	78074	8.5 - 10	10.2 on 9	27.1	8.5	769	1764@50	300/AA/A	FOR
255/40ZR19/XL	(100Y)			30K	BSW	12150	8.5 - 10	10.2 on 9	27.1	9.5	769	1764@50	300/AA/A	
265/30ZR19/XL	(93Y)			30K	BSW	8161	45574	10.7 on 9.5	25.3	9	822	1433@50	300/AA/A	HON
265/30ZR19/XL	(93Y)			30K	BSW	79569	45574	10.7 on 9.5	25.3	9.5	822	1433@50	300/AA/A	
265/35ZR19/XL	(98Y) MO1			30K	BSW	13756	9 - 10.5	10.67 on 9.5	26.3	9	790	1653@51	300/AA/A	MB
265/35ZR19/XL	(98Y)			30K	BSW	87309	9 - 10.5	10.7 on 9.5	26.3	9.5	790	1653@50	300/AA/A	

Michelin **Pilot Sport 4 S**

Tire Size	Service Description	Technology	Other	Limited Warranty	Side-wall	MSPN	Rim Width Range (inches)	Section Width on Measuring Rim Width (inches)	Overall Diameter (inches)	Tread Depth (in/32nds)	Rev/ Mile @45 mph	Max Load Single (lbs@psi)	UTQG	O.E. Fitments
265/40ZR19/XL	(102Y) MO1 A			30K	BSW	77514	9 - 10.5	10.7 on 9.5	27.4	9	760	1874@51	300/AA/A	MB
265/40ZR19/XL	(102Y) MO1			30K	BSW	14885	9 - 10.5	10.7 on 9.5	27.3	9.5	760	1874@50	300/AA/A	MB
275/30ZR19/XL	(96Y)			30K	BSW	52157	45574	10.9 on 9.5	25.6	9.5	814	1565@50	300/AA/A	
275/35ZR19/XL	(100Y) TPC			30K	BSW	72274	45605	10.9 on 9.5	26.6	9	783	1764@50	300/AA/A	CAD
275/35ZR19/XL	(100Y) TPC	Acoustic		30K	BSW	24809	45605	10.9 on 9.5	26.6	9	783	1764@50	300/AA/A	CAD
275/35ZR19/XL	(100Y) *			30K	BSW	21325	45605	10.9 on 9.5	26.6	9.5	783	1764@50	300/AA/A	BMW
275/35ZR19/XL	(100Y)			30K	BSW	10078	45605	10.9 on 9.5	26.6	9.5	783	1764@50	300/AA/A	
275/35ZR19	(96Y)			30K	BSW	10071	45605	10.9 on 9.5	26.6	9.5	783	1565@51	300/AA/A	LEX
275/40ZR19/XL	(105Y)			30K	BSW	21747	45605	10.9 on 9.5	27.7	8.5	751	2039@50	300/AA/A	FOR
275/40ZR19/XL	(105Y) MO1 A			30K	BSW	66344	45605	10.9 on 9.5	27.7	9	751	2039@51	300/AA/A	MB
285/30ZR19/XL	(98Y)			30K	BSW	14185	9.5 - 10.5	11.4 on 10	25.8	9.5	807	1653@50	300/AA/A	
285/35ZR19/XL	(103Y)			30K	BSW	79871	9.5 - 11	11.4 on 10	26.9	9.5	774	1929@50	300/AA/A	
295/25ZR19/XL	(94Y)			30K	BSW	50499	45606	11.8 on 10.5	24.8	9.5	837	1477@50	300/AA/A	
295/30ZR19/XL	(100Y)			30K	BSW	20617	45606	11.9 on 10.5	26	9.5	799	1764@50	300/AA/A	
295/35ZR19/XL	(104Y) MO1			30K	BSW	10165	10 - 11.5	11.9 on 10.5	27.1	9.5	767	1984@50	300/AA/A	MB
305/30ZR19/XL	(102Y) TPC			30K	BSW	58841	10.5 - 11.5	12.3 on 11	26.3	9	792	1874@50	300/AA/A	CAD
305/30ZR19/XL	(102Y)			30K	BSW	10365	10.5 - 11.5	12.3 on 11	26.3	9.5	792	1874@50	300/AA/A	
315/30ZR19/XL	(104Y)			30K	BSW	31084	10.5 - 11.5	12.6 on 11	26.5	9.5	785	1984@50	300/AA/A	
325/30ZR19/XL	(105Y)			30K	BSW	54332	45637	13 on 11.5	26.7	9.5	778	2039@50	300/AA/A	
355/30ZR19/XL	(110Y)			30K	BSW	83054	45639	14.2 on 12.5	27.4	9.5	758	2337@50	300/AA/A	
215/45ZR20/XL	(95Y)			30K	BSW	53023	45511	8.4 on 7	27.6	9.5	753	1521@50	300/AA/A	
225/35ZR20/XL	(90Y)			30K	BSW	33095	7.5 - 9	9.1 on 8	26.2	9.5	793	1323@50	300/AA/A	
225/35ZR20/XL	90Y	ZP		30K	BSW	14056	7.5 - 9	9.1 on 8	26.2	9.5	793	1323@50	300/AA/A	
235/30ZR20/XL	(88Y)			30K	BSW	34879	8.5 - 8.5	9.5 on 8.5	25.6	9.5	813	1235@50	300/AA/A	
235/35ZR20/XL	(92Y)			30K	BSW	33211	8 - 9.5	9.5 on 8.5	26.5	9.5	786	1389@50	300/AA/A	
235/35ZR20/XL	(92Y) N0			30K	BSW	8557	8 - 9.5	9.5 on 8.5	26.5	9.5	786	1389@50	300/AA/A	POR
235/35ZR20/XL	92Y T0	Acoustic		30K	BSW	49531	8 - 9.5	9.5 on 8.5	26.5	9	786	1389@50	300/AA/A	TES
235/40ZR20/XL	(96Y)			30K	BSW	19129	8 - 9.5	9.5 on 8.5	27.4	9.5	759	1565@50	300/AA/A	
235/45ZR20/XL	(100Y)			30K	BSW	33601	7.5 - 9	9.3 on 8	28.4	9.5	734	1764@50	300/AA/A	
245/30ZR20/XL	(90Y) AO			30K	BSW	4357	45543	9.8 on 8.5	25.8	9	805	1323@50	300/AA/A	AUD
245/30ZR20/XL	(90Y)			30K	BSW	32528	45543	9.8 on 8.5	25.8	9.5	805	1323@50	300/AA/A	
245/35ZR20/XL	(95Y) K2			30K	BSW	82566	8 - 9.5	9.8 on 8.5	26.8	9	777	1521@50	300/AA/A	FER
245/35ZR20/XL	(95Y) MO1			30K	BSW	21116	8 - 9.5	9.8 on 8.5	26.8	9	777	1521@51	300/AA/A	MB

Ultra-High
Performance Sport

Continued ►

Refer to the Important Product Information section at the back of the book.

Michelin **Pilot Sport 4 S**

Tire Size	Service Description	Technology	Other	Limited Warranty	Side-wall	MSPN	Rim Width Range (inches)	Section Width on Measuring Rim Width (inches)	Overall Diameter (inches)	Tread Depth (in/32nds)	Rev/ Mile @45 mph	Max Load Single (lbs@psi)	UTQG	O.E. Fit-ments
245/35ZR20/XL	(95Y) K1			30K	BSW	4374	8 - 9.5	9.8 on 8.5	26.8	9	777	1521@50	300/AA/A	FER
245/35ZR20/XL	(95Y) NA0			30K	BSW	3815	8 - 9.5	9.8 on 8.5	26.8	9	777	1521@50	300/AA/A	POR
245/35ZR20/XL	(95Y) N0			30K	BSW	57304	8 - 9.5	9.8 on 8.5	26.8	9	777	1521@50	300/AA/A	POR
245/35ZR20/XL	(95Y) K1			30K	BSW	72844	8 - 9.5	9.8 on 8.5	26.8	9.5	777	1521@50	300/AA/A	FER
245/35ZR20/XL	(95Y) MO			30K	BSW	21408	8 - 9.5	9.8 on 8.5	26.8	9.5	777	1521@50	300/AA/A	MB
245/35ZR20/XL	(95Y)			30K	BSW	22358	8 - 9.5	9.8 on 8.5	26.8	9.5	777	1521@50	300/AA/A	
245/40ZR20/XL	(99Y) GOE			30K	BSW	48963	8 - 9.5	9.8 on 8.5	27.7	9	750	1709@50	300/AA/A	HYN
245/40ZR20/XL	(99Y)			30K	BSW	13840	8 - 9.5	9.8 on 8.5	27.7	9.5	750	1709@50	300/AA/A	
245/45ZR20/XL	(103Y)			30K	BSW	5252	7.5 - 9	9.6 on 8	28.7	9.5	726	1929@50	300/AA/A	
255/30ZR20/XL	(92Y)			30K	BSW	29965	8.5 - 9.5	10.2 on 9	26.1	9.5	798	1389@50	300/AA/A	
255/30ZR20/XL	92Y	ZP		30K	BSW	71527	8.5 - 9.5	10.2 on 9	26.1	9.5	798	1389@50	300/AA/A	
255/35ZR20/XL	(97Y)			30K	BSW	30209	8.5 - 10	10.2 on 9	27	9.5	770	1609@50	300/AA/A	
255/40ZR20/XL	(101Y) MO1			30K	BSW	20409	8.5 - 10	10.2 on 9	28	9.5	742	1819@50	300/AA/A	MB
255/40ZR20/XL	(101Y)			30K	BSW	59321	8.5 - 10	10.2 on 9	28	9.5	742	1819@50	300/AA/A	
255/45ZR20/XL	(105Y)			30K	BSW	10009	8 - 9.5	10 on 8.5	29.1	9.5	716	2039@50	300/AA/A	
265/30ZR20/XL	(94Y) MO1			30K	BSW	78625	45574	10.7 on 9.5	26.3	9	791	1477@51	300/AA/A	MB
265/30ZR20/XL	(94Y)			30K	BSW	68444	45574	10.7 on 9.5	26.3	9.5	791	1477@50	300/AA/A	
HL265/35ZR20/XL	(102Y) MO1			30K	BSW	15460	45574	10.7 on 9.5	27.3	9	761	1874@51	300/AA/A	MB
265/35ZR20/XL	(99Y) LM1	Acoustic		30K	BSW	10930	9 - 10.5	10.7 on 9.5	27.3	8	761	1709@50	300/AA/A	LUC
265/35ZR20/XL	(99Y) MO1			30K	BSW	14196	9 - 10.5	10.7 on 9.5	27.3	9.5	761	1709@50	300/AA/A	MB
265/35ZR20/XL	(99Y) N0			30K	BSW	7389	9 - 10.5	10.7 on 9.5	27.3	9.5	761	1709@50	300/AA/A	POR
265/35ZR20/XL	(99Y)			30K	BSW	33116	9 - 10.5	10.7 on 9.5	27.3	9.5	761	1709@50	300/AA/A	
265/40ZR20/XL	(104Y) MO1 A			30K	BSW	23724	9 - 10.5	10.7 on 9.5	28.4	9	734	1984@51	300/AA/A	MB
265/40ZR20/XL	(104Y) MO1	Acoustic		30K	BSW	71043	9 - 10.5	10.7 on 9.5	28.4	9	734	1984@50	300/AA/A	MB
265/40ZR20/XL	(104Y)			30K	BSW	29960	9 - 10.5	10.7 on 9.5	28.4	9.5	734	1984@50	300/AA/A	
265/40R20/XL	104Y MO1 B			30K	BSW	23420	9 - 10.5	10.7 on 9.5	28.4	9	734			MB
275/30ZR20/XL	(97Y) TPC	ZP		30K	BSW	20589	45574	11.5 on 9.5	26.5	7	784	1609@50	300/AA/A	GM
275/30ZR20/XL	(97Y)			30K	BSW	50352	45574	10.9 on 9.5	26.5	9.5	784	1609@50	300/AA/A	
275/30ZR20/XL	(97Y) MO			30K	BSW	27459	45574	10.9 on 9.5	26.5	9.5	784	1609@50	300/AA/A	MB
275/35ZR20/XL	(102Y) *			30K	BSW	22176	45605	10.9 on 9.5	27.6	9	755	1874@50	300/AA/A	BMW
275/35ZR20/XL	(102Y) GOE			30K	BSW	26628	45605	10.9 on 9.5	27.6	9	755	1874@50	300/AA/A	HYN
275/35ZR20/XL	(102Y) MO1			30K	BSW	19742	45605	10.9 on 9.5	27.6	9	755	1874@51	300/AA/A	MB
275/35ZR20/XL	(102Y) K1			30K	BSW	11782	45605	10.9 on 9.5	27.6	9.5	755	1874@50	300/AA/A	FER

Refer to the Important Product Information section at the back of the book.

Michelin **Pilot Sport 4 S**

Tire Size	Service Description	Technology	Other	Limited Warranty	Side-wall	MSPN	Rim Width Range (inches)	Section Width on Measuring Rim Width (inches)	Overall Diameter (inches)	Tread Depth (in/32nds)	Rev/ Mile @45 mph	Max Load Single (lbs@psi)	UTQG	O.E. Fitments
275/35ZR20/XL	(102Y)			30K	BSW	33200	45605	10.9 on 9.5	27.6	9.5	755	1874@50	300/AA/A	
275/40ZR20/XL	(106Y) ND0			30K	BSW	9725	45605	10.9 on 9.5	28.7	9	726	2094@50	300/AA/A	POR
275/40ZR20/XL	(106Y)			30K	BSW	39467	45605	10.9 on 9.5	28.7	9.5	726	2094@50	300/AA/A	
285/25ZR20/XL	(93Y)			30K	BSW	69230	10.5 - 10.5	11.6 on 10.5	25.6	9.5	813	1433@50	300/AA/A	
285/30ZR20/XL	(99Y) I *			30K	BSW	28466	9.5 - 10.5	11.4 on 10	26.8	9	777	1709@50	300/AA/A	BMW
285/30ZR20/XL	(99Y) *			30K	BSW	66946	9.5 - 10.5	11.4 on 10	26.8	9.5	777	1709@50	300/AA/A	BMW
285/30ZR20/XL	(99Y)			30K	BSW	44926	9.5 - 10.5	11.4 on 10	26.8	9.5	777	1709@50	300/AA/A	
285/35ZR20/XL	(104Y) K2			30K	BSW	98060	9.5 - 11	11.4 on 10	27.9	9	746	1984@50	300/AA/A	FER
285/35ZR20/XL	(104Y) *			30K	BSW	70968	9.5 - 11	11.4 on 10	27.9	9	746	1984@50	300/AA/A	BMW
285/35ZR20/XL	(104Y)			30K	BSW	9209	9.5 - 11	11.4 on 10	27.9	9.5	746	1984@50	300/AA/A	
295/25ZR20/XL	(95Y)			30K	BSW	59499	45606	11.9 on 10.5	25.8	9.5	805	1521@50	300/AA/A	
295/30ZR20/XL	(101Y) N0			30K	BSW	20624	45606	11.8 on 10.5	27	9.5	770	1819@50	300/AA/A	POR
295/30ZR20/XL	(101Y) M01			30K	BSW	96583	45606	11.9 on 10.5	27	9.5	770	1819@50	300/AA/A	MB
295/30ZR20/XL	(101Y)			30K	BSW	6016	45606	11.9 on 10.5	27	9.5	770	1819@50	300/AA/A	
295/35ZR20/XL	(105Y) NA0			30K	BSW	24952	10 - 11.5	11.8 on 10.5	28.1	9	740	2039@50	300/AA/A	POR
295/35ZR20/XL	(105Y) M01 A			30K	BSW	38834	10 - 11.5	11.8 on 10.5	28.1	9	740	2039@51	300/AA/A	MB
295/35ZR20/XL	(105Y) M01	Acoustic		30K	BSW	13871	10 - 11.5	11.8 on 10.5	28.1	9	740	2039@50	300/AA/A	MB
295/35ZR20/XL	(105Y)			30K	BSW	50466	10 - 11.5	11.9 on 10.5	28.1	9.5	740	2039@50	300/AA/A	
295/35ZR20/XL	(105Y) K1			30K	BSW	25083	10 - 11.5	11.9 on 10.5	28.1	9.5	740	2039@50	300/AA/A	FER
295/35ZR20/XL	105Y M01 B			30K	BSW	26538	10 - 11.5	11.8 on 10.5	28.1	9	740			MB
305/25ZR20/XL	(97Y)			30K	BSW	9881	10.5 - 11.5	12.3 on 11	26	9.5	801	1609@50	300/AA/A	
305/30ZR20/XL	(103Y) FP			30K	BSW	73134	10.5 - 11.5	12.3 on 11	27.2	8.5	764	1929@50	300/AA/A	FOR
305/30ZR20/XL	(103Y) AO			30K	BSW	8763	10.5 - 11.5	12.3 on 11	27.2	9	764	1929@50	300/AA/A	AUD
305/30ZR20/XL	(103Y) N0			30K	BSW	23115	10.5 - 11.5	12.3 on 11	27.2	9	764	1929@50	300/AA/A	POR
305/30ZR20/XL	(103Y)			30K	BSW	6890	10.5 - 11.5	12.3 on 11	27.2	9.5	764	1929@50	300/AA/A	
305/30ZR20	(99Y) TPC	ZP		30K	BSW	380	10.5 - 11.5	12.5 on 11	27.4	8.5	764	1709@51	300/AA/A	GM
305/35ZR20	(104Y)			30K	BSW	20855	45636	12.3 on 11	28.4	9.5	732	1984@51	300/AA/A	
305/35ZR20/XL	(107Y) K1			30K	BSW	862	45636	12.3 on 11	28.4	9	732	2149@50	300/AA/A	FER
315/30ZR20/XL	(104Y)			30K	BSW	20432	10.5 - 11.5	12.6 on 11	27.5	8.5	757	1984@50	300/AA/A	
315/30ZR20/XL	(104Y) FP	Acoustic		30K	BSW	60304	10.5 - 11.5	12.6 on 11	27.5	8.5	757	1984@50	300/AA/A	FOR
315/35ZR20/XL	(110Y) ND0			30K	BSW	45674	10.5 - 12.5	12.6 on 11	28.7	9	726	2337@50	300/AA/A	POR
315/35ZR20/XL	(110Y) K1			30K	BSW	7074	10.5 - 12.5	12.6 on 11	28.7	9.5	726	2337@50	300/AA/A	FER
325/25ZR20/XL	(101Y)			30K	BSW	78900	11.5 - 12.5	13.2 on 12	26.4	9.5	788	1819@50	300/AA/A	

Ultra-High
Performance Sport

Continued ►

Refer to the Important Product Information section at the back of the book.

Michelin **Pilot Sport 4 S**

Tire Size	Service Description	Technology	Other	Limited Warranty	Side-wall	MSPN	Rim Width Range (inches)	Section Width on Measuring Rim Width (inches)	Overall Diameter (inches)	Tread Depth (in/32nds)	Rev/ Mile @45 mph	Max Load Single (lbs@psi)	UTQG	O.E. Fit-ments
345/30ZR20	(106Y)			30K	BSW	70264	11.5 - 12.5	13.8 on 12	28.2	9.5	738	2094@51	300/AA/A	
245/30ZR21/XL	(91Y)			30K	BSW	44019	45543	9.8 on 8.5	26.8	9.5	776	1356@50	300/AA/A	
245/35ZR21/XL	(96Y)			30K	BSW	30771	8 - 9.5	9.8 on 8.5	27.8	9.5	749	1565@50	300/AA/A	
245/35ZR21/XL	96Y T0	Acoustic		30K	BSW	1875	8 - 9.5	9.8 on 8.5	27.8	9	749	1565@50	300/AA/A	TES
245/40ZR21/XL	(100Y)			30K	BSW	58210	8 - 9.5	9.8 on 8.5	28.7	9.5	750	1764@50	300/AA/A	
255/30ZR21/XL	(93Y)			30K	BSW	24541	8.5 - 9.5	10.2 on 9	27.1	9.5	769	1433@50	300/AA/A	
255/35ZR21/XL	(98Y)			30K	BSW	832	8.5 - 10	10.2 on 9	28	9.5	743	1653@50	300/AA/A	
255/40ZR21/XL	(102Y) *			30K	BSW	6699	8.5 - 10	10.2 on 9	29	9	717	1874@50	300/AA/A	BMW
255/40ZR21/XL	(102Y) GOE	Acoustic		30K	BSW	3943	8.5 - 10	10.2 on 9	29	9	717	1874@50	300/AA/A	KIA
HL255/40ZR21/XL	(105Y) MO1			30K	BSW	44792	8.5 - 9.5	10.2 on 9	29	9	717	2039@51	300/AA/A	MB
265/30ZR21/XL	(96Y)			30K	BSW	28170	45574	10.7 on 9.5	27.3	9.5	762	1565@50	300/AA/A	
265/35ZR21/XL	(101Y) T2	Bluetooth Acoustic		30K	BSW	28897	9 - 10.5	10.7 on 9.5	28.3	8	735	1819@50	300/AA/A	TES
265/35ZR21/XL	(101Y) MO1 A			30K	BSW	75274	9 - 10.5	10.7 on 9.5	28.3	9	735	1819@51	300/AA/A	MB
265/35ZR21/XL	(101Y)			30K	BSW	14189	9 - 10.5	10.7 on 9.5	28.3	9.5	735	1819@50	300/AA/A	
265/35ZR21/XL	101Y T0	Acoustic		30K	BSW	58214	9 - 10.5	10.7 on 9.5	28.3	9	735	1819@50	300/AA/A	TES
265/40ZR21/XL	(105Y) *			30K	BSW	73316	9 - 10.5	10.7 on 9.5	29.3	9	709	2039@50	300/AA/A	BMW
265/40ZR21/XL	(105Y) MO1			30K	BSW	2987	9 - 10.5	10.7 on 9.5	29.3	9.5	709	2039@50	300/AA/A	MB
275/25ZR21/XL	(92Y)			30K	BSW	9129	45575	11.1 on 10	26.4	9.5	787	1389@50	300/AA/A	
275/30ZR21/XL	(98Y)			30K	BSW	19555	45574	10.9 on 9.5	27.5	9.5	756	1653@50	300/AA/A	
275/35ZR21/XL	(103Y) MO1 A			30K	BSW	44208	45605	10.9 on 9.5	28.5	9	729	1929@51	300/AA/A	MB
275/35ZR21/XL	(103Y) AML			30K	BSW	62689	45605	10.9 on 9.5	28.5	9	729	1929@50	300/AA/A	AM
275/35ZR21/XL	(103Y) MO1	Acoustic		30K	BSW	52954	45605	10.9 on 9.5	28.5	9	729	1929@50	300/AA/A	MB
275/35ZR21/XL	(103Y) ND0			30K	BSW	37478	45605	10.9 on 9.5	28.5	9.5	729	1929@50	300/AA/A	POR
275/35ZR21/XL	(103Y)			30K	BSW	9857	45605	10.9 on 9.5	28.5	9.5	729	1929@50	300/AA/A	
285/30ZR21/XL	(100Y)			30K	BSW	22644	9.5 - 10.5	11.4 on 10	27.8	9.5	749	1764@50	300/AA/A	
HL285/35ZR21/XL	(108Y) MO1			30K	BSW	69141	9.5 - 10.5	11.4 on 10	28.9	9	721	2205@51	300/AA/A	MB
295/25ZR21/XL	(96Y) I *			30K	BSW	38917	45606	11.8 on 10.5	26.8	8.5	776	1565@50	300/AA/A	BMW
295/25ZR21/XL	(96Y)			30K	BSW	33069	45606	11.9 on 10.5	26.8	9.5	776	1565@50	300/AA/A	
295/30ZR21/XL	(102Y) LM1	Acoustic		30K	BSW	15657	45606	11.8 on 10.5	28	8.5	743	1874@50	300/AA/A	LUC
295/30ZR21/XL	(102Y) T2	Bluetooth Acoustic		30K	BSW	60239	45606	11.9 on 10.5	28	8.5	743	1874@50	300/AA/A	TES
295/30ZR21/XL	(102Y)			30K	BSW	62547	45606	11.9 on 10.5	28	9.5	743	1874@50	300/AA/A	
HL295/30ZR21/XL	(105Y) MO1 A			30K	BSW	95232	45606	11.8 on 10.5	28	9	743	2039@51	300/AA/A	MB
295/35ZR21/XL	(107Y) *			30K	BSW	20820	10 - 11.5	11.8 on 10.5	29.1	8	715	2149@50	300/AA/A	BMW

Michelin **Pilot Sport 4 S**

Tire Size	Service Description	Technology	Other	Limited Warranty	Side-wall	MSPN	Rim Width Range (inches)	Section Width on Measuring Rim Width (inches)	Overall Diameter (inches)	Tread Depth (in/32nds)	Rev/ Mile @45 mph	Max Load Single (lbs@psi)	UTQG	O.E. Fitments
295/35ZR21/XL	(107Y) M01			30K	BSW	58070	10 - 11.5	11.8 on 10.5	29.1	9	715	2149@50	300/AA/A	MB
305/25ZR21/XL	(98Y)			30K	BSW	21039	10.5 - 11.5	12.3 on 11	27	9.5	771	1653@50	300/AA/A	
305/30ZR21/XL	(104Y) NAO			30K	BSW	88176	10.5 - 11.5	12.3 on 11	28.2	9	737	1984@50	300/AA/A	POR
305/30ZR21/XL	(104Y) M01 A			30K	BSW	85426	10.5 - 11.5	12.3 on 11	28.2	9.5	737	1984@50	300/AA/A	MB
315/30ZR21/XL	(105Y) AML			30K	BSW	60509	10.5 - 11.5	12.6 on 11	28.5	9	731	2039@50	300/AA/A	AM
315/30ZR21/XL	(105Y) M01	Acoustic		30K	BSW	93363	10.5 - 11.5	12.6 on 11	28.5	9	731	2039@50	300/AA/A	MB
315/30ZR21/XL	(105Y) ND0			30K	BSW	15313	10.5 - 11.5	12.6 on 11	28.5	9.5	731	2039@50	300/AA/A	POR
325/25ZR21/XL	(102Y)			30K	BSW	14828	11.5 - 12.5	13.2 on 12	27.4	9.5	760	1874@50	300/AA/A	
325/30ZR21/XL	(108Y) ND0			30K	BSW	14521	45637	13 on 11.5	28.7	9.5	725	2205@50	300/AA/A	POR
325/30ZR21/XL	(108Y)			30K	BSW	43501	45637	13 on 11.5	28.7	9.5	725	2205@50	300/AA/A	
345/25ZR21/XL	(104Y) TPC	ZP		30K	BSW	9852	45639	14.5 on 12.5	27.6	7.5	749	1984@50	300/AA/A	GM
355/25ZR21/XL	(107Y)			30K	BSW	58899	12.5 - 13.5	14.4 on 13	28	9.5	743	2149@50	300/AA/A	
255/30ZR22/XL	(95Y)			30K	BSW	23289	8.5 - 9.5	10.2 on 9	28.1	9.5	741	1521@50	300/AA/A	
255/35ZR22/XL	(99Y) K1	Acoustic		30K	BSW	6280	8.5 - 10	10.2 on 9	29	9	717	1709@50	300/AA/A	FER
265/35ZR22/XL	(102Y)			30K	BSW	8052	9 - 10.5	10.7 on 9.5	29.3	9.5	709	1874@50	300/AA/A	
265/40ZR22/XL	(106Y)			30K	BSW	67853	9 - 10.5	10.7 on 9.5	30.4	9.5	685	2094@50	300/AA/A	
275/35ZR22/XL	(104Y)			30K	BSW	79111	45605	10.9 on 9.5	29.6	9.5	703	1984@50	300/AA/A	
275/40ZR22/XL	(108Y)			30K	BSW	27354	45605	10.9 on 9.5	30.7	9.5	678	2205@50	300/AA/A	
285/25ZR22/XL	(95Y)			30K	BSW	9313	10.5 - 10.5	11.6 on 10.5	27.6	9.5	754	1521@50	300/AA/A	
285/30ZR22/XL	(101Y)			30K	BSW	23689	9.5 - 10.5	11.4 on 10	28.8	9.5	723	1819@50	300/AA/A	
285/35ZR22/XL	(106Y) N0			30K	BSW	44873	9.5 - 11	11.4 on 10	29.9	9	696	2094@50	300/AA/A	POR
285/35ZR22/XL	(106Y)			30K	BSW	35726	9.5 - 11	11.4 on 10	29.9	9.5	696	2094@50	300/AA/A	
285/40ZR22/XL	(110Y) M01			30K	BSW	15894	9.5 - 11	11.4 on 10	31	9	671	2337@51	300/AA/A	MB
295/25ZR22/XL	(97Y)			30K	BSW	19577	45606	11.9 on 10.5	27.8	9.5	747	1609@50	300/AA/A	
295/35ZR22/XL	(108Y)			30K	BSW	34167	10 - 11.5	11.9 on 10.5	30.1	9	691	2205@50	300/AA/A	
315/30ZR22/XL	(107Y) *			30K	BSW	38261	10.5 - 11.5	12.6 on 11	29.5	8	705	2149@50	300/AA/A	BMW
315/30ZR22/XL	(107Y) N0			30K	BSW	76723	10.5 - 11.5	12.6 on 11	29.5	9	705	2149@50	300/AA/A	POR
315/30ZR22/XL	(107Y)			30K	BSW	38860	10.5 - 11.5	12.6 on 11	29.5	9.5	705	2149@50	300/AA/A	
325/35ZR22/XL	(114Y) M01			30K	BSW	81332	45609	13 on 11.5	31	9	671	2601@51	300/AA/A	MB
335/25ZR22/XL	(105Y)			30K	BSW	26409	11.5 - 12.5	13.5 on 12	28.6	9.5	727	2039@50	300/AA/A	
285/40ZR23/XL	(111Y) M01			30K	BSW	5372	9.5 - 11	11.4 on 10	32	9.5	651	2403@51	300/AA/A	MB
315/30ZR23/XL	(108Y) K1	Acoustic		30K	BSW	1771	10.5 - 11.5	12.6 on 11	30.5	9	683	2205@50	300/AA/A	FER
325/35ZR23/XL	(115Y) M01			30K	BSW	79572	45609	13 on 11.5	32	9.5	651	2679@51	300/AA/A	MB

Ultra-High
Performance Sport